

Eagle Swing

- Ø 114 mm and Ø88.9 mm pipes are used in eagle swing and seesaw.
- In order to close the open-ended pipes; anchor covers made of double-walled selfcolored polyethylene plastic material LLDPE (Linear Low Density Polyethylene) are used.
- 1 piece chain swing set with railing and 1 piece rubber swing seat are used in the Eagle swing.
- The flat seat is designed to wrap the user's body and is made of LLDPE (Linear Low Density Polyethylene), a self-colored polyethylene plastic material weighing at least 2.5 kg.
- Swing seat railing is manufactured by LLDPE (Linear Low Density Polyethylene) blow molding manufacturing method from self-colored polyethylene plastic material weighing at least 0.5 kg.
- Rubber swing seat, 48x20 cm in size, is made of self-colored rubber material with steel sheet reinforcement inside.
- Every point of the swing seat in contact with the air is covered with a rubber coating that is resistant to friction and corrosion.
- High strength is provided under high pressure by using hot pressing or injection method using hot vulcanized coating technique in coatings.
- The swing chains are at least 6 mm thickness and coated with galvanized 25 micron hot-dip.
- The chains are connected to the bearing wedges, which are welded together on the swing carrier, by chain locks.
- In order for the chain locks to be easily removed, the bolt is manufactured with an allen head and galvanized coated for corrosion resistance.
- Swing chains are manufactured in such a way as to prevent finger jamming of small children and babies.
- The chain length is 175 cm long and a 6 mm caliber immersion chain is used.,
- Swing chains are manufactured in such a way as to prevent finger jamming of small children and babies.





Dimensions	Eagle Swing Length	238 cm
	Eagle Swing Width	513 cm
	Classic Swing Seat Width	44 cm
	Classic Swing Seat Length	32 cm
	Classic Swing Seat Height	33 cm
	Minimum Weight of a Classic Swing Seat	2,5 kg
	Minimum Weight of Swing Railing	0,5 kg
	Rubber Swing Seat Width	48 cm
	Rubber Swing Seat Length	20 cm
	Rubber Swing Height	29 cm
	Minimum Weight of Rubber Swing Seat	1 kg
	Chain Length	175 cm
	Chain Thickness	6 mm